

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire

**OX25 5HD** 

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106 Ramona,

CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB13086 - Goat Anti-ACE2 (Internal) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** ACE 2 antibody, ACE related carboxypeptidase antibody, ACE-related carboxypeptidase antibody, ACE2 antibody, ACE2\_HUMAN antibody, ACEH antibody, Angiotensin converting enzyme 2 antibody, Angiotensin converting enzyme homolog antibody, Angiotensin converting enzyme like protein antibody, Angiotensin I Converting Enzyme (peptidyl dipeptidase A) 2 antibody, Angiotensin I converting enzyme 2 antibody, Angiotensin-converting enzyme homolog antibody

Official Symbol: ACE2

Accession Number(s): NP\_001358344.1

Human GeneID(s): 59272

## **Immunogen**

Peptide with sequence C-PROPRIETARY;, from the internal region of the protein sequence according to NP\_001358344.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 100kDa band was also observed on full-length recombinant Human ACE2 protein (calculated MW of 92.4kDa according to NP\_001358344.1). Recommended concentration 1ug/ml. Primary incubation 1 hour at room temperature.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

## **Specific Reference**

PMID: 0

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB13086 (1 $\mu$ g/ml) staining of recombinant hACE2 (1  $\mu$ g protein in PBS, pH 7.4). Detected by chemiluminescence.