



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB08792 - Goat Anti-APOB Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: APOB, apolipoprotein B (including Ag(x) antigen), FLDB, apoB-100, apolipoprotein B

Official Symbol: APOB

Accession Number(s): NP_000375.3

Human GeneID(s): [338](#)

Important Comments: This antibody only recognises ApoB-100 and not the cleaved chain ApoB-48.

Immunogen

Peptide with sequence C-TDLHLRYQKDKK, from the internal region of the protein sequence according to NP_000375.3.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Customer data showed a band corresponding to the expected size of ApoB-100 in Human serum samples from five different individuals (calculated Mwt of 515kDa according to NP_000375.3). The smaller bands shown are believed to be degradation products of ApoB-100 (not ApoB-48). Recommended concentration: 0.3-1µg/ml.

IHC: Paraffin embedded Human Liver and Small Intestine. Recommended concentration: 2µg/ml.


Species Reactivity

Tested: Human


Expected from sequence similarity: Human



EB08792 (0.5µg/ml) staining of Human Serum lysates. Data kindly provided by Yan Xie and NO Davidson, Washington USA. This antibody showed background below 150kDa in serum samples.



EB08792 (2µg/ml) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB08792 (2µg/ml) staining of paraffin embedded Human Small Intestine. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.